


Goal: Build a pneumatically-actuated, normally-open, light & compact valve to control oxidizer venting from the launch vehicle.

Dynamic friction due to O-ring seals


Stresses on valve components

Variable	Value	Units	Description	Notes
Air size Dimensions				
p_1	100	psf		
p_2	0	psf		
r_1	0.5	in		
r_2	0.0075	in		
Air Side Axial Stress				
numerator	25	psf		
denominator	6.2239023E-12	in ²		
Axial Stress	112.2807018	psf		
Air Side Hoop Stress				
first term	112.2807018	psf		
second term * r ²	-53.9701754	psf		
r	0.5	in		
Hoop Stress	348.569051	psf		
Air Side Radial Stress				
first term	112.2807018	psf		
second term * r ²	-53.9701754	psf		
r	0.5	in		
Radial Stress	112.2807018	psf		
Oil Side Dimensions				
p_1	1000	psf		
p_2	0	psf		
r_1	0.1943	in		considering the limited possible wall thickness
r_2	0.2892	in		
Oil Side Axial Stress				
numerator	37.776374	psf		
denominator	6.9498941E-12	in ²		
Axial Stress	622.778404	psf		
Oil Side Hoop Stress				
first term	622.778404	psf		
second term * r ²	-48.8144203	psf		
r	0.1943	in		
Hoop Stress	2645.55598	psf		
Oil Side Radial Stress				
first term	622.778404	psf		
second term * r ²	-48.8144203	psf		
r	0.1943	in		
Radial Stress	-1900	psf		
Max stress experienced	2645.55598	psf		
Aluminum 6061-T6 Properties				
Yield Strength	45000	psi		
Ultimate Tensile strength	49000	psi		
Factor of Safety	15.118688	wt. lb		
	17.006511	wt. lb		

Torque spec for fasteners


[illegible]

Initial design!




Cont'd: 2nd-Gen Oxidizer Vent Valve for 2023 Hybrid Rocket | Waterloo Rocketry

It's machining time!




Before


After



Hydrostatically tested to spec and now strapped atop the engine testing container prior to static fire test.



Assembled, tested, sanitized, and ready to fly!




New and prettier body for easier integration of pilot solenoid valve and thermistor.


High Pressure Oxidizer Venting System for 2023 Hybrid Rocket | Waterloo Rocketry

Goal: Integrate the oxidizer vent valve, pilot solenoid valve, pressure-relief valve, pressure transducer, actuator control board, sensor measurement board, and two Raspberry Pi cameras into a 5.5" by 10" cylindrical space atop the oxidizer tank.

Look, there's the vent valve!



Epic tube bends by hand



Awaiting systems test in front of a beautiful sunset.

Tested, sanitized, and ready for pre-flight assembly!



Post-launch and -recovery in the New Mexico desert!
Welcome back ☺





High Pressure Oxidizer Venting System for 2022 Hybrid Rocket | Waterloo Rocketry

Goal: Same as the 2023 system from last page, but plus a rupture disc assembly, a pneumatic reservoir, and a larger, legacy oxidizer vent valve with a larger pilot solenoid valve instead of the 2nd-Gen one.

Oh also, there is only one fluid port to interface with the oxidizer tank (for two valves, one rupture disc, and one pressure transducer).

Oh also, there's a pandemic so you can't actually touch any hardware until much, much later in the design phase 😊



The result: a tube and fittings jungle that drastically enhanced my skillset in systems integration, design for assembly, fluid systems, and how to bend tubes.


Airframe Couplers for 2023 Hybrid Rocket | Waterloo Rocketry | May – June 2023

Goal: Machine three critical airframe couplers to ensure timely assembly of the launch vehicle airframe.


The few progress pictures that I didn't forget to take:




The couplers holding the rocket together:




Recovery bay coupler:







Parachute bay coupler:



Nose cone coupler:



Goal: Build a system to stabilize uncontrolled spinning of helicopter-hoisted payloads during rescue operations (and applicable to other cases).




Cont'd: Spin-Stabilization System for Hoisted Payloads (SpinStop) | Engineering Capstone


Enough designing, let's machine some parts:




Motor coupler plates!



Reaction Wheel!




And test the electrical system!




Shoutout to Brent's Welding for sponsoring our system housing!



Integration, Testing, and Tuning...



Presented our product to 100s of people over two weekends!





Spray Foam Robot | Team Hobby Project | Fall 2024

Goal: Build a gantry robot capable of applying uniform spray foam to a 30ft tall section of vertical wall.



10ft-tall prototype built by cutting and welding lots of steel


My main role: full controls system design, sourcing, assembly, and testing



Full scale system and containerized control system coming soon!


8-bit Breadboard Computer | Personal Hobby Project | Summer 2023

Goal/Motivation: Computers are very cool and I want to learn something out of my comfort zone, so I'm following online tutorials to build a first-principles digital computer from low-level IC components.




Autonomous Wall-Climbing Robot (Wall-e) | 3rd Year Course Project

Goal: Build a system capable of autonomously getting over a steel wall and locating a target on the other side.



Expectations



Reality

Neodymium magnets with rubber coating for best results driving on steel wall

Wall-e in retirement:



Wall-e in action:

It is evident from these hands that we were not too confident in Wall-e



Wall-e needed some human help to get over the top of the wall. This project taught me the importance of rapidly testing drastically different proofs-of-concepts before making minuscule improvements to a particular design (we only did the latter).

